INDEX

RUBBER CHEMISTRY AND TECHNOLOGY VOLUME XXII, 1949

AUTHOR INDEX

	Dogo		Page
ALBERT, H. E. See COOK, W. S. ALTMAN, R. F. A. Rubber metabolism in plant life. Development of a new theory	Page 893	a strained elastomer. III. Thermal coefficient of modulus and statistical theory	
AMBELANG, J. C., SMITH, G. E. P., JR., AND GOTTSCHALK, G. W. Furfural phenylhy-	***	of elasticity. Cox, C. M. See Conant, F. S.	86
drazone as a chemical softener for GR-S AMERONGEN, G. J. VAN. See BOONSTRA, B. B. S. T.	759	Dannenberg, E. M. Carbon black-loaded GR-S stocks. Relationship between rein- forcement and swelling properties Davidson, W. L., AND GEIB, I. G. Effect of	805
BAKER, L. M. See MURPHY, R. T. BAKER, W. O. Microgel, a new macromole- cule. Relation to sol and gel as structural elements of synthetic rubber	935	pile bombardment on uncured elastomers DAVIS, D. S. See HIGUCHI, TAKERU. DIENER, G. J. See SMITH, E. F. DINSMORE, H. L., AND SMITH, DON C. Anal-	138
Banes, F. W. See Serniuk, G. E. Bardwell, J., and Winkler, C. A. Forma- tion and structure of vulcanizates.	96	DINSMORE, H. L., AND SMITH, DON C. Analysis of natural and synthetic rubber by infrared spectroscopy	572
BARKLEY, J. W. D. See GRIFFITH, T. R. BARNEY, A. L. See MOCHEL, W. E.	1141	W. H. Properties of ebonite. XXIX. Absorption spectrum of ebonite Dogadkin, B., and Tarasova, Z. Structural	231
Barrer, R. M., and Skirrow, G. Transport and equilibrium phenomena in gaselastomer systems. I. Kinetic phenomena.	427	changes in rubber by the action of mole- cular oxygen. II. Kinetics of the de- structive dissolution of vulcanized rubber	37
I. Equilibrium phenomena	440	—, AND PASYNSKII, A. Structural changes in rubber brought about by mole- cular oxygen. III. Properties of disinte- grated vulcanized natural rubber	310
ies of low-temperature polybutadinene and butadiene-styrene copolymers BIE, G. J. VAN DER. Determination of ni-	356	Dum, J. L. See Conant, F. S. Fisher, C. H. See Mast, W. C.	010
trogen in crude rubber. BLANCHARD, A. F. See PARKINSON, D. BLOOMFIELD, GEORGE. Reaction of sulfur and sulfur compounds with olefinic substances. IV. Thermal decomposition of	1134	FISHER, DOROTHY G. Molecular structure and arrangement in stretched natural rubber. —, MULLINS, L., AND SCOTT, J. R. Properties of ebonite. XXXVII. Elec-	617
organic polysulfides and its contribution to the sulfur-olefin reactionVI. Factors influencing cyclic sulfur forma- tion in the reaction of sulfur with poly-	348	trical properties of synthetic-rubber ebo- nites, Newton, R. G., Norman, R. H., AND SCOTT, J. R. Properties of ebonite.	1084
isoprenes BOONSTRA, B. B. S. T. See SALOMON, G. , AND AMERONGEN, G. J. VAN. Pryolytic depolymerization of rubber into iso-	982	XXXIV. Influence of organic accelerators of vulcanization. AND SCOTT, J. R. Properties of ebonite. XXVIII. Influence of light absorb-	599
Prene. Brauer, G. M. See Wiley, Richard H. Buckley, D. J. See Young, D. W.	634	ent pigments on electrical surface deteriora- tion during exposure to light, AND WILLOTT, W. H. Properties of	229
CARLSON, E. E. See HAVENHILL, R. S. CARTER, WALTER C. See SCOTT, ROBERT L. CATTON, N. L., KRISMANN, E. H., AND KEEN, W. N. Dynamic characteristics of Neo-	450	ebonite. XXX. Influence on properties of ebonite of the type of raw rubber used, with special reference to purified rubbers FITZGERALD, T. H. See HOLBROOK, F. L. FRYLING, C. F. See BEU, KARL E.	232
prene vulcanizates. , AND THOMPSON, D. C. Effect of carbon blacks on swelling of Neoprene GRM-10 vulcanizates.	812	GARDNER, E. R. See LANE, K. A. GEE, GEOFFREY. Interaction between rub- ber and liquids. X. Some new experi-	
Chalmers, Douglas. See Hurry, James A. Clouaire, Jacques. Hysteresis of natural	1000	mental tests of a new statistical thermo- dynamic theory of rubber-liquid systems Gehman, S. D. Creep, recovery, and per- permanent set for GR-S and Hevea	320
COFFMAN, D. D. See MOCHEL, W. E. CONANT, F. S., DUM, J. L., AND COX, C. M. Frictional properties of tread-type com-	000	permanent set for GR-S and Hevea See WILKINSON, C. S., Jr. Geib, I. G. See Davidson, W. L. GILLMAN, H. H., AND THOMAN, RAY. Be-	105
pounds on ice Cook, W. S., Albert, H. E., Kilbourne, F. L., Jr., and Smith, G. E. P., Jr. Re-	863	GILLMAN, H. H., AND THOMAN, RAY. Be- havior of rayon tire cord during latex dip- ping Gorbon, M. Adiabatic reaction kinetics of	245
claiming agents for synthetic rubber COPELAND, L. E. Thermodynamics of a strained elastomer. II. Compressibility	166 79	Buna-S vulcanization	386 378

SA

Sc

	D		Dans
GOTTSCHALK, G. W. See Ambelang, J. C. GRIFFITH, T. R., STOREY, E. G., BARKLEY, J. W. D., AND MCGILVRAY, F. M. Relation-	Page	Mochel, W. E., Nichols, J. B., and Mighton, C. J. Structure of Neoprene. I. Molecular-weight distribution of Neoprene Type GN.	Page
ship between laboratory abrasion tests and service performance	838	prene Type GN. AND PETERSON, J. H. Structure of Neoprene, II. Determination of end	680
ber	316	-, SALISBURY, L. G., BARNEY, A. L., COFF-	1092
HAMMOND, G. L. Qualitative detection of titanium dioxide in rubber	286	Mochulsky, Marcos, and Tobolsky,	649
HAVENHILL, R. S., CARLSON, L. E., AND RANKIN, J. J. Study of electrostatic charges produced during mastication of		ARTHUR V. Chemorheology of polysul- fide rubbers	712
rubber and GR-S	477 1140	Thermodynamics of a strained elastomer. I. General analysis	64
A correction. HIGUCHI, TAKERU, LEEPER, H. M., AND DAVIS, D. S. Determination of tensile strength of natural rubber and GR-S. Effect of specimeneits	1105	theory of interest in synthetic rubber pro-	392
HOLBROOK, F. L., AND FITZGERALD, T. H. Stability of accelerators as affected by high	1125	MORLEY, J. F. Determination of resistance to abrasive wear. VIII. Influence of softeners in tests with the Akron-Croydon	259
Processing temperatures. HOLLISTER, JOSEPH W. See MORRIS, ROSS E. HOLT, W. L., KNOX, E. O., AND ROTH, F. L.	555	and du Pont machines	
Strain tester for rubber	212	Morton, Avery A., and Ramsden, Hugh E. Polymerization. VIII. Action of met-	786
nology ISIHARA, AKIRA. Abnormal melting of raw	1103	alating reagents on rubber	342 1036
rubber	299	rubber. See Fisher, D. G. MURPHY, R. T., BAKER, L. M., AND REIN- HARDT, R., Jr. Flex life of passenger tires. Relationship of rayon tire cord dip pickup	
JUDFINSTEIN, ROBERT. Study of the increase in tensile strength of vulcanized rubber when it begins to age	1028	Relationship of rayon tire cord dip pickup and cord adhesion	878
KATZ, ISADORE. See KRATZ, G. D. KEEN, W. N. See CATTON, N. L.		NEWBERG, R. G. See Young, D. W. NEWTON, R. G. See FISHER, D. G.	
KATZ, ISADORE. See KRATZ, G. D. KEEN, W. N. See CATTON, N. L. KEMP, A. R. See SELKER, M. L. KILBANK, S. C. See RUSH, IAN C. KILBOURNE, F. L., JR. See COOK, W. S. KNOX, E. O. See HOLT, W. I. KRISMANN, E. H. See CATTON, L. KRATZ, G. D., YOUNG, H. H. JR., AND KATZ.		AND SCOTT, J. R. Determination of resistance to abrasive wear. X. Investigation of the durability of a bonded abrasive	004
KNOX, E. O. See HOLT, W. I. KRISMANN, E. H. See CATTON, N. L. KRATZ, G. D., YOUNG, H. H., JR., AND KATZ,		wheel on the du Pont machine	264
Kratz, G. D., Young, H. H., Jr., and Katz, Isadore. Action of organic accelerators in the vulcanization of rubber. Effect of basicity.	756	wear. XI. Influence of the type of abrasive. NICHOLS, J. B. See MOCHEL, W. E. NORMAN, R. H. See FISHER, D. G.	268
LANE, K. A., AND GARDNER, E. R. Electrically conducting rubber	535	OBERTO, S., AND PALANDRI, G. Hysteresis	1009
LE BEAU, D. S. Basic reactions occurring during rubber reclaiming. II. Influence of solvent naphtha, storage of the reclaim,		and heating in vulcanized rubber PALANDRI, G. See OBERTO, S.	1009
and aging of the scrap prior to reclaiming; and infrared spectra of natural rubber re- claim.	560	PALANDRI, G. See OBERTO, S. PARKINSON, D., AND BLANCHARD, A. F. Factors influencing the configuration of	118
LE Bras, Jean, and Salvetti, André. Have mechanical stresses any effect on the oxidizability of rubber?	690	Carbon particles in rubber PARTRIDGE, E. G., AND HANSEN, M. E. Dry- ing of latex rubber deposits.	886
LEEPER, H. M. See HIGUCHI, TAKERU. LEPETIT, FRANCIS. Heat sensitivity of Hevea latex. III. Process of heat sensitization		Pasynskii, A. See Dogadkin, B. Peterson, J. H. See Mochel, W. E. Piper, H. G., and Scott, J. R. Plasticiza-	
of latex degraded biochemically Natural, thermal, and biochemical degradation of ammoniated Hevea latex to give	923	tion of natural and synthetic rubber. II. GR-S PORRITT, B. D. See DOCK, E. H.	518
heat sensitivity	912	RAMSDEN, HUGH E. See MORTON, AVERY A	
Macdonald, W. S., and Ushakoff, Alexis. Instrument for measuring stress relaxation	000	RAMSDEN, HUGH E. See MORTON, AVERY A RANKIN, J. J. See HAVENHILL, R. S. REINHARDT, R., JR. See MUCPHY, R. T. REINOLDS, W. B. See BEU, KARL E. ROSTLER, FRITZ S. Semiebonites ROTH, FRANK L. See HOLT, W. L.	186
Instrument for measuring stress rehadion of high-polymer materials. McGilvray, F. M. See Griffith, T. R. McMurry, H. L. See Bely, Karl E. McNeal, J. H. See Skinner, Glen S. Madow, Benjamin. See Maron, Samuel H. Magat, Michael. See Scott, Robert L. Maron, Samuel H., and Madow, Benjamin. Preparation of dried latex films.	828	AND SHERLER, ROBERT D. SHAIR	201
McNeal, J. H. See Skinner, Glen S. Madow, Benjamin. See Maron, Samuel H Magat, Michael. See Scott, Robert L.		test for evaluation of rubber compounds Rush, Ian C., and Kilbank, S. C. Effect of mosture variations on curing rate of	
MAGAT, MICHAEL. See SCOTT, ROBERT L. MARON, SAMUEL H., AND MADOW, BENJA- MIN. Preparation of dried latex films MAST, W. C., AND FISHER, C. H. Prepara-	224	GR-S. SALISBURY, L. F. See MOCHEL, W. E.	775
MIN. Preparation of dried latex films MAST, W. C., AND FISHER, C. H. Preparation and vulcanization of unsaturated acrylic elastomers MEER, S. VAN DER. See SALOMON, G.	966	SALOMON, G. Influence of structure on poly- mer-liquid liquid interaction. III. Swelling and mechanical properties of	
MIGHTON, C. J. See MOCHEL, W. E.		some partly crystallized polymers	370

SUBJECT INDEX

age

Brown D D C T Moor C	Page	Tipigori 7 See Dogupun B	Page
DER, AND ULTÉE, A. J. Preparation		TARASOVA, Z. See DOGADKIN, B. THOMAN, RAY, See GILLMAN, H. H.	
and properties of rubberlike high poly-		THOMAN, RAY. See GILLMAN, H. H. THOMPSON, D. C. See CATTON, N. L. THRODAHL, M. C. Aging of elastomers. Comparison of creep with some conven-	
mers. VI. Polymerization and dimeri-		THRODAHL, M. C. Aging of elastomers.	
SALVETTI, ANDRE. See LEBRAS, JEAN.	956	tional aging methods	699
Sanders, P. A. Effect of light on Neoprene.		TOBOLSKY, ARTHUR B. See MOCHULSKY,	000
I. Discoloration of GR-M vulcanizates by	407	MARCOS.	
by direct sunlight SAUNDERS, D. W., AND TRELOAR, L. R. G.	465	Treloar, L. R. G. See Saunders, D. W. Stresses and birefringence in rubber sub-	
Flow phenomena in rubber. 1. Flow		jected to general homogeneous strain	53
curves for natural rubber	332	TROYAN, J. E. Process problems in low-tem-	405
SCHOLL, ALLEN W., AND LISKA, J. W. Method of measuring heat embrittlement		perature emulsion polymerization	405
of GR-S and Hevea-rubber compounds		ULTÉE, A. J. See SALOMON, G.	
SCOTT, J. R. See FISHER, D. G., NEWTON,		UPHAM, F. N. Energy of resilience and abra-	1000
R. G., PIPER, G. H. Determination of resistance to abrasive		Sion resistance	1060
wear. IX. Influence of grain in tire		Contact, Appare. Dec Macdonald, 11. 5.	
tread rubber	262	VAN AMERONGEN, G. J. See BOONSTRA,	
XII. Comparison of Akron and du Pont abrasion machines. Value of an abra-		B. B. S. T. Van der Bie, G. J. See Bie, G. J. van der.	
sive index	277	VAN DER MEER, S. See SALOMON, G.	
Properties of ebonite. XXXV. Further		Preparation of highly purified Hevea rub-	*01
experiments on the influence of sulfur		Vasil'ev, A. A. Unsaturation of butadiene	731
SCOTT, ROBERT L., CARTER, WALTER C., AND MAGAT, MICHAEL. Viscosity-mole-	609	rubber. I	287
AND MAGAT, MICHAEL. Viscosity-mole-			293
cular weight relations for various synthetic	661	VERGHESE, G. T. Behavior of different fractions of purified Hevea rubber during	
Selker, M. L. Sulfur linkage in vulcanized		vulcanization	994
rubber. Reaction of methyl iodide with		Fractionation of purified Hevea rubber	988
sulfur compounds	1	Preparation of highly purified Hevea rub-	731
vulcanized rubber. Acetone extraction of		ber	101
vulcanizates	8	WILEY, RICHARD H., AND BRAUER, G. M.	
SERNIUK, G. E., BANES, F. W., AND SWANEY,		Refractometric determination of second-	
M. W. Study of the reaction of Buna rubbers with aliphatic thiols	148	order transition temperatures in polymers. IV. Butadiene-actylonitrile copolymers	402
SHARBAUGH, A. H. Steam and radio-fre-	110	WILKINSON, C. S., JR., AND GEHMAN, S. D.	
quency curing of natural rubber	155	Vulcanization at high pressures	1063
SHAW, ROBERT F. Survey of resilience and the development of resilient compounds	1045	WILLOTT, W. H. See DOCK, E. H.; FISHER, D. G., NEWTON, R. G. WINKLER, C. A. See BARDWELL, J.	
SKINNER, GLENN S., AND MCNEAL, JAMES H.	1010	WINKLER, C. A. See BARDWELL, J.	
Decomposition of elastomers at high tem-	0.07		
peratures. Skirrow, G. See Barrer, R. M. Smith, Don C. See Dinsmore, H. L.	667	YANKO, JOHN A. Physical properties of fractions of GR-S and their vulcanizates	494
SMITH, DON C. See DINSMORE, H. L.		Young, D. W., Buckley, D. J., and New- Berg, R. G. Elastomer-resin blends.	
SMITH, E. F., AND DIENES, G. J. Improved	900	BERG, R. G. Elastomer-resin blends.	
low-temperature brittleness test	820	Acrylonitrile type of synthetic rubber and polyvinyl chloride resins	735
SMITH, G. E. P., JR. See AMBELANG, J. C., COOK, W. S.		Young, H. H. See Kratz, G. D.	
STIEHLER, ROBERT D. See ROTH, FRANK L.		ZAPP, R. L. Polymeric unsaturation and	
STIEHLER, ROBERT D. See ROTH, FRANK L. STOREY, E. B. See GRIFFITH, T. R. SWANEY, M. W. See SERNIUK, G. E.		relative rate of cross-linkage	16
CIID	TECT	INDEX	
301	JECI	INDEX	
Abnormal melting of raw rubber	299	Akron-Croydon and du Pont machines	0*0
Abrasion	1060	(softeners with)	$\frac{259}{277}$
resistance tests, laboratory	838	and du Pont abrasion machines	211
Abrasive		general	64
index, value of	277	of natural and synthetic rubber by infra-	***
wear, resistance towheel, bonded, durability of	268 264	red spectroscopy	572 617
Absorption spectrum of ebonite	231	Arrangement, molecular, in stretched rubber.	011
Accelerators,	770	Basic reactions occurring during rubber re-	
organic	555	claiming. II. Influence of solvent naph-	
stability of	8	tha, storage of the reclaim, and aging of the scrap prior to reclaiming; and infrared	
Acrylic elastomers, vulcanization of	966	spectra of natural-rubber reclaim	560
Action of organic accelerators in the vulcani-	735	Basicity, effect of	756
zation of rubber. Effect of basicity	756	Behavior	
Adhesion, cord	878	of different fractions of purified Hevea rubber during vulcanization	994
Adiabatic reaction kinetics of Buna-S vul- canization	386	of rayon tire cord during latex dipping	245
Aging		Biochemical degradation of Hevea latex	923
of elastomers. Comparison of creep with	699	Birefringence and stresses	53 735
some conventional aging methods of scrap before reclaiming	560	Blends, elastomer-resin Bombardment, pile, of elastomers	138
of vulcanized rubber	1028	Brittleness test, low-temperature	820

SUBJECT INDEX

Down with a section of the state of	Page	THE A SEC. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	Page
Buna rubbers, reaction of, with aliphatic thiols	148	Electrostatic charges during mastication 477,	1140
Buna-S vulcanization	386	Emulsion polymerization, low-temperature Energy of resilience and abrasion resistance	405 1060
Butadiene	000	Equilibrium phenomena in gas-elastomer	1000
acrylonitrile copolymers	402	systems	427
rubber	287	Evaluation of rubber compounds	201
-styrene copolymers	356		
0.1.11.1		Factors influencing the configuration of car-	
Carbon black	700	bon particles in rubber	118
dispersion in rubber. Effect of fatty acids -loaded GR-S stocks. Relationship be-	786	Fatty acids, effect of, on carbon black dis-	
tween reinforcement and swelling prop-		persion Flex life of passenger tires. Relationship of rayon tire cord dip pickup and cord ad-	786
erties	805	restor tire gord dip pickup and gord ad	
effect of, on swelling of Neoprene GRM-10	-	rayon tire cord dip pickup and cord ad- hesion	878
vulcanizates	812	Flow phenomena in rubber. I. Flow curves	0.0
vulcanizates particles, configuration of. Chemorheology of polysulfide rubbers. Compounds of GR-S and Hevea rubber, heat	118 712	for natural rubber	333
Chemorheology of polysulfide rubbers	712	Fluoroprene, elastomers from	649
compounds of GR-S and rievea rubber, neat	1076	Formation and structure of vulcanizates96,	1141
embrittlement of,	79	Fractionation of purified Hevea rubber	988
Compressibility of an elastomer	535	Fractions of GR-S	494
Configuration of carbon particles in rubber	118	of purified rubber	988
Creep		of GR-S of purified rubber Frictional properties of tread-type com-	000
comparison of, with some aging methods recovery, and permanent set for GR-S	699	pounds on ice	863
recovery, and permanent set for GR-S	105	Furtural phenylhydrazone as a chemical	
and Hevea	105 16	softener for GR-S	759
Cross-linkage, relative rate of	1134		
Crystallized polymers	370	Gas-elastomer systems	440
Curing-rate of GR-S	775	Gel and sol as elements of synthetic rubber	935
Cyclic sulfur formation	982	GR-M. See Neoprene GR-S,	
		chemical softener for	759
Decomposition of elastomers at high tem-		curing rate of .	775
peratures	667	fractions of	494
Depolymerization, pyrolytic, of rubber	634	heat embrittlement of	1076
Detection of titanium dioxide in rubber Deterioration, surface	286 229	mastication of rubber and	477 518
Determination	228	plasticization of	518
of end groups in Neoprene by radiosulfur	1092	Stocks, carbon black-loaded	805 262
of nitrogen in crude rubber	1134	Gram in the tread rubber	202
of nitrogen in crude rubber of resistance to abrasive wear. VIII. In-		Have mechanical stresses any effect on the	
fluence of softeners in tests with the Akron-Croydon and du Pont machines	0*0	oxidizability of rubber?	690
IV Influence of grain in tire trend rubber	$\frac{259}{262}$	Heat	000
IX. Influence of grain in tire tread rubber X. Investigation of the durability of	202	embrittlement of GR-Ssensitivity of Hevea latex. III	1076
a bonded abrasive wheel on the du		sensitivity of Hevea latex. III	912
Pont machine	264	sensitization of latex	912
XI. Influence of the type of abrasive XII. Comparison of Akron and du Pont	268	High	1009
XII. Comparison of Akron and du Pont		-polymer materials	828
abrasion machines. Value of an abrasive index	277	polymers, rubberlike	956
of tensile strength of natural rubber and	211	pressures, vulcanization at	1063
GR-S. Effect of specimen size	1125	temperatures, decomposition of elastomers	
Diffusion, measurements of, in rubber	316	at	667
Dimerization of isoprene	956	Hysteresis and heating in vulcanized rubber	1009
Discoloration of GR-M vulcanizates	465	of vulcanized rubber	1000
Dispersion, carbon black, in rubber Dissolution, destructive, of vulcanized rubber	786 37		
Drying of latex rubber deposits	886	Ice, frictional properties of tread type com-	
du Pont machine	000	pounds on	863
and Arkon machine	277	Improved low-temperature brittleness test	820
durability of abrasive wheel259	, 264	Influence of structure on polymer-liquid interaction. III. Swelling and mechanical	
Dynamic characteristics of Neoprene vul-	450	interaction. III. Swelling and mechanical	
canizates	450	properties of some partly crystallized poly-	370
Elit	1004	mers Infrared	310
Ebonite, properties of 229, 231, 232, 599, 609, Effect	1004	spectra of reclaim	560
of carbon blacks on swelling of Neoprene		spectroscopy analysis of rubber	572
GRM-10 vulcanizates	812	Instrument for measuring stress relaxation of	
of light on Neoprene. I. Discoloration of GR-M vulcanizates by direct sunlight.		high-polymer materials	828
of GR-M vulcanizates by direct sunlight.	465	Interaction between rubber and liquids. X.	
of moisture variations on curing rate of	***	Some new experimental tests of a statistical thermodynamic theory of rubber-liquid	
GR-Sof pile bombardment on uncured elastomers	775 138	systems	320
Elasticity, statistical theory of	86	isoprene,	
Elasticity, statistical theory of	00	polymerization and dimerization of	956
synthetic rubber and polyvinyl chloride	-	pyrolytic depolymerization of rubber into	634
ICSIIIS	735	771 1	
Elastomers from fluoroprene	649	Kinetic phenomena	427
unsaturated acrylic	966	Kinetics	378
properties of synthetic-rubber ebonites	1084	of adiabatic systems	386
surface deterioration	229	of Buna-S vulcanizationof destructive dissolution of vulcanized	
Electrically conducting rubber	535	rubber	37

	Page		Page
Latex		and properties of rubberlike high polymers. VI. Polymerization and dimerization	
dipping of rayon tire cord	$\frac{245}{224}$	of isoprene	956
heat sensitization of rubber deposits, drying of	912 886	and vulcanization of unsaturated acrylic	960
Light		Process problems in low-temperature emul-	
-absorbent pigments	229 465	sion polymerization	40a 55a
effect on Neoprene Low-temperature		Progress in polymerization theory of interest in synthetic rubber production	000
brittleness test emulsion polymerization	820 405	in synthetic rubber production Properties of ebonite.	392
emulsion polymerization	400	XXIX. Absorption spectrum of ebonite XXX. Influence on properties of ebonite of	23
Macromolecule, microgel, a new	935	XXX. Influence on properties of ebonite of the type of raw rubber used with special	
Mastication of rubber and GR-S477, Measurements of diffusion in rubber	1140 316	reference to purified rubbers	232
Mechanical		XXXIV. Influence of organic accelerators of vulcanization	599
properties of polymersstresses, effect on oxidizability of rubber	370 690	XXXV. Further experiments on the in-	
Melting, abnormal, of raw rubber	299	fluence of sulfur ratio	609
Metabolism, rubber, in plant life	893 342	tic-rubber ebonites. XXVIII. Influence of light-absorbent	108
Method of measuring heat embrittlement of		XXVIII. Influence of light-absorbent pigments on electrical surface deteriora-	
GR-S and Hevea rubber compounds Methyl iodide, reaction of, with sulfur com-	1076	tion during exposure to light	229
pounds	1	Purified Hevea rubber	00
pounds. Microgel, a new macromolecule. Relation to sol and gel as structural elements of		rubber	3, 994 232
synthetic rubber	935	rubber fractions of Pyrolytic depolymerization of rubber into	988
Modulus, thermal coefficient of	86 775	isoprene	634
Molecular	****	Qualitative detection of titanium dioxide in	
structure and arrangement in stretched natural rubber	617	rubber	286
-weight distribution of Neoprene GN	680	Radio-frequency curing of rubber	15
relations for synthetic rubbers	661	Radiosulfur, determination of end groups of	
Naphtha, solvent, influence of	560	Neoprene by means of	1093
Natural, thermal, and biochemical degrada-	000	tire cord	871
tion of ammoniated Hevea latex to give heat sensitivity	923	during latex dipping	243
Neoprene		kinetics of adiabatic systems	378
GR-M vulcanizates, discoloration of GRM-10 vulcanizates	465 812	of sulfur and sulfur compounds with olefinic	
effect of light on	465	substances. IV. Thermal decomposition of organic	
structure of	1092 680	polysumides and its contribution to	
effect of light on structure of 680, Type GN vulcanizates.	450	the sulfur-olefin reaction VI. Factors influencing cyclic sulfur formation in the reaction of sulfur with polyisoprenes.	
Nitrogen in crude rubber	1134	with polyisoprenes	982
Olefinic substances,		Reclaiming	166
reaction of sulfur with	348 982	agents for synthetic rubberrubber, basic reactions during	560
and sulfur compounds	, 310	Recovery for GR-S and Hevea	10
		Refractometric determination of second-order transition temperatures in polymers. IV.	
Permanent set for GR-S and Hevea	105	Butadiene-acrylonitrile copolymers	402
in vulcanized rubber	1036	Reinforcement and swelling properties of GR-S stocks	80
Photoelastic applications in rubber tech-	1103	Relaxation, stress, measuring Relationship between laboratory abrasion	828
nology Physical properties of fractions of GR-S and their vulcanizates		tests and service performance	838
Diamonto light chambant	494 229	Resilience energy of	1060
Pile bombardment, effect of, on elastomers	229 138	survey of	104
Plasticization of natural and synthetic rubbers. II. GR-S.	518		104
Polybutadiene copolymers	356	Resistance to Abrasion to abrasive wear259, 262, 264, 268, 277 Rubber metabolism in plant life. Develop-	, 320
Polyisoprenes, reaction of sulfur with Polymeric unsaturation and relative rate of	982	ment of a new theory	893
cross-linkage	16		
Polymerization. VIII. Action of metalating reagents on		Semiebonites	186 915
rubber	342	Service performance	913 838
of isoprenelow-temperature emulsion	956 405	Set, permanent. 105, Softener for GR-S. Softeners, influence of, in tests.	1036
Polymer liquid interesting	392	Softeners, influence of, in tests	759 259
Polymer-liquid interaction Polysulfide rubbers, chemorheology of	1370 712	Sol and get as structural elements of synthetic	93
Polysulfide rubbers, chemorheology of Polysulfides, organic, thermal decomposition		rubberSpectra, infrared, of reclaim	560 572
of	348 735	Spectroscopy, infrared Spectrum, absorption, of ebonite	23
Preparation		Stability of accelerators as affected by high	
of dried latex films	224 731	processing temperatures	558 86
			-

SUBJECT INDEX

	Page		Page
Steam and radio-frequency curing of natural rubber.	155	of Neoprene GRM-10 vulcanizates properties and reinforcement of GR-S	812
Storage of reclaim	560	stocks	805
Strain,			
homogeneous	53	Temperatures, transition, in polymers	402
test for evaluation of rubber compounds	201	Tensile strength	
tester for rubber	212	of natural rubber and GR-S	1125
Strained		of vulcanized rubber	1028
	86	Tests, abrasion, laboratory	838
elastomer			000
elastomers, thermodynamics of		Theory, new, of rubber metabolism in plant	
Stress relaxation, measuring	828	life	893
Stresses and birefringence in rubber subjected		Thermal	
to general homogeneous strain	53	coefficient of modulus	86
Streteched rubber, molecular structure in	617	decomposition of organic polysulfides	348
Structural changes in rubber by the action of	0	degradation of Hevea latex	923
		Thermodynamic theory of rubber-liquid sys-	020
molecular oxygen.			000
II. Kinetics of the destructive dissolution		tems	320
of vulcanized rubber	37	Thermodynamics of a strained elastomer.	
III. Properties of disintegrated vulcanized		I. General analysis	64
natural rubber	310	II. Compressibility	79
elements of synthetic rubber	935	III. Thermal coefficient of modulus and	
Structure	000	statistical theory of elasticity	86
molecular, in stretched rubber	617	Thiols, aliphatic, reaction of, with Buna	00
			148
of Neoprene. I. Molecular-weight dis-		rubbers	1.40
tribution of Neoprene Type GN		Tire	
II. Determination of end groups by		cord, rayon	245
means of radiosulfur	1092	tread rubber	262
of vulcanizates	1141	Tires, passenger, flex life of	878
Study of electrostatic charges produced dur-		Titanium dioxide, detection of	
		Transition temperatures in polymers	402
ing mastication of rubber and GR-S.477,			
of increase in tensile strength of vulcanized		Transport and equilibrium phenomena in	
rubber when it begins to age	1028	gas-elastomer systems.	
of reaction of Buna rubbers with aliphatic		I. Kinetic phenomena	427
thiols		II. Equilibrium phenomena	440
Sulfur		Tread-type compounds, frictional properties	
		of, on ice	863
compounds, reaction with olefinic sub-		on, on account	00
stances	982	Unsaturation	
linkage in vulcanized rubber			287
olefin reaction	348	of butadiene rubber. I	28
ratio, influence of	609	II	293
reaction of, with olefinic substances 34	8 982	polymeric	16
Surface deterioration, electrical		Viscosity-molecular weight relations for vari-	
Survey of resilience and the development of		ous synthetic rubbers	661
resilient compounds	1045	Vulcanization	00.
Synthetic rubber			756
	1084	organic accelerators in	
ebonites	1004	at high pressures	1063
reclaiming agents for	166	purified Hevea rubber during	994
sol and gel as structural elements of	935		
Swelling		X-ray studies of low-temperature polybutadi-	
and mechanical properties of polymers	370	ene and butadiene-styrene copolymers	350
property of the property of th			

